U.S. Department of Commerce

Seattle, Washington

Volume 98 Number 2 April 2000

Fishery Bulletin

Contents

Articles

- 227–235 Acha, Eduardo M., and Gustavo J. Macchi
 Spawning of Brazilian menhaden, *Brevoortia aurea*, in the
 Río de la Plata estuary off Argentina and Uruguay
- 236–249 Brewster-Geisz, Karyl K., and Thomas J. Miller Management of the sandbar shark, *Carcharhinus plumbeus*: implications of a stage-based model
- 250–263 Keon Alonso, Mariano, Enrique A. Crespo, Susana N. Pedraza, Néstor A. García, and Mariano A. Coscarella Food habits of the South American sea lion, *Otaria flavescens*, off

Patagonia, Argentina

lamnoids

- 264–282 Lo, Nancy C. H, John R. Hunter, and James H. Churnside Modeling statistical performance of an airborne lidar survey system for anchovy
- 283–289 Macchi, Gustavo J., and Eduardo M. Acha
 Spawning frequency and batch fecundity of Brazilian menhaden,
 Brevoortia aurea, in the Río de la Plata estuary off
 Argentina and Uruguay
- 290–298 Manickchand-Heileman, Sherry C., and Dawn A. T. Phillip
 Age and growth of the yellowedge grouper,
 Epinephelus flavolimbatus, and the yellowmouth grouper,
 Mycteroperca interstitialis, off Trinidad and Tobago
- 299–318 Mollet, Henry F., Geremy Cliff, Harold L. Pratt Jr., and John D. Stevens
 Reproductive biology of the female shortfin mako, *Isurus oxyrinchus*Rafinesque, 1810, with comments on the embryonic development of
- 319–335 Mortensen, Donald, Alex Wertheimer, Sidney Taylor, and Joyce Landingham

 The relation between early marine growth of pink salmon,

The relation between early marine growth of pink salmon, Oncorhynchus gorbuscha, and marine temperature, secondary production, and survival to adulthood

The conclusions and opinions expressed in *Fishery Bulletin* are solely those of the authors and do not represent the official position of the National Marine Fisheries Service (NOAA) or any other agency or institution

The National Marine Fisheries Service (NMFS) does not approve, recommend, or endorse any proprietary product or proprietary material mentioned in this publication. No reference shall be made to NMFS, or to this publication furnished by NMFS, in any advertising or sales promotion which would indicate or imply that NMFS approves, recommends, or endorses any proprietary product or proprietary material mentioned herein, or which has as its purpose an intent to cause directly or indirectly the advertised product to be used or purchased because of this NMFS publication.

336–344 Orbacz, Elizabeth A., and Patrick M. Gaffney

Genetic structure of tautog (*Tautoga onitis*) populations assayed by RFLP and DGGE analysis of mitochondrial and nuclear genes

345–352 Rivera, Glauco A., and Richard S. Appeldoorn

Age and growth of dolphinfish, Coryphaena hippurus, off Puerto Rico

353-363 Rocha-Olivares, Axayácatl, H. Geoffrey Moser, and Jason Stannard

Molecular identification and description of pelagic young of the rockfishes *Sebastes constellatus* and *Sebastes ensifer*

364–374 Schaefer, Kurt M., and Charles W. Oliver

Shape, volume, and resonance frequency of the swimbladder of yellowfin tuna, Thunnus albacares

375-388 Sévigny, Jean-Marie, Patrice Gagné, Yves de Lafontaine, and Julian Dodson

Identification and distribution of larvae of redfish (Sebastes fasciatus and S. mentella: Scorpaenidae) in the Gulf of St. Lawrence

389–399 Stevens, Bardley G., Ivan Vining, Susie Byersdorfer, and William Donaldson

Ghost fishing by Tanner crab (*Chionoecetes bairdi*) pots off Kodiak, Alaska: pot density and catch per trap as determined from sidescan sonar and pot recovery data

400–409 Stokesbury, Kevin D. E., Jay Kirsch, Evelyn D. Brown, Gary L. Thomas, and Brenda L. Norcross

Spatial distributions of Pacific herring, *Clupea pallasi*, and walleye pollock, *Theragra chalcogramma*, in Prince William Sound, Alaska

410–420 Vølstad, Jon H., Alexei F. Sharov, Glenn Davis, and Brenda Davis

A method for estimating dredge catching efficiency for blue crabs, Callinectes sapidus, in Chesapeake Bay

Notes

421–426 Ahrenholz, Dean W., Deborah D. Squires, James A. Rice, Stephen W. Nixon, and Gary R. Fitzhugh

Periodicity of increment formation in otoliths of overwintering postlarval and prejuvenile Atlantic menhaden, *Brevoortia tyrannus*

427–438 Powell, Allyn B., David G. Lindquist, and Jonathan A. Hare

Larval and pelagic juvenile fishes collected with three types of gear in Gulf Stream and shelf waters in Onslow Bay, North Carolina, and comments on ichthyoplankton distribution and hydrography

439 Subscription form